



# gwastraff – a allwch chi ei drin?

## Rheolau newydd ar olewau gwastraff

Mae'r canllaw hwn i fusnesau sy'n cynhyrchu olewau gwastraff. Mae'n esbonio sut y bydd rheolau ar olewau gwastraff yn newid, beth y maent yn ei olygu, a'r hyn y mae'n rhaid i chi ei wneud â'ch olew gwastraff yn y dyfodol. Mae'r rheolau newydd yn diogelu'r amgylchedd a'ch iechyd yn fwy.

### Beth mae hyn yn ei olygu i'ch busnes

Mae'r safonau amgylcheddol ar gyfer defnyddio olew gwastraff fel tanwydd wedi'u tynhau er mwyn lleihau allyriannau pan gaiff ei losgi. Mae hyn wedi achosi i'r farchnad olew gwastraff newid. Gallai hyn arwain at gynhyrchwyr olew gwastraff yn gorfod talu mwy i'w waredu.

Gosodir Dyletswydd Gofal gyfreithiol ar bob busnes i sicrhau bod y gwastraff y mae'n ei gynhyrchu yn cael ei storio'n briodol, ei ddisgrifio fel y gellir trin y gwastraff yn ddiogel, a'i waredu neu'i aildefnyddio mewn ffordd briodol.

Mae arllwys olew i lawr draen yn drosedd – mae'r mwyafrif o ddraeniau yn cysylltu ag afonydd a nentydd ac mae olew yn achosi llygredd mawr ac yn ddrud i'w glirio. Gall hyd yn oed feintiau bach gael effaith ddifrifol ar blanhigion a bywyd gwylt. Gall losgi olew gwastraff heb reolaeth ollwng llygryddion difrifol i'r aer. Gall cosbau am y mathau hyn o droseddau fod yn £20,000 neu fwy yn llys y goron.

### Beth sy'n rhaid i chi ei wneud

I fusnesau sydd eisoes yn cwrdd â'u Dyletswydd Gofal ar hyn o bryd ni fydd fawr o newid – heblaw am y cynnydd posibl yn y gost o waredu. Er mwyn sicrhau eich bod yn ufuddhau i'r gyfraith dylech ddilyn y canllawiau hyn:

- Storiwch olew yn ddiogel mewn cynhwysydd. Awgrymwn gynhwysydd swydd â bwnd a allai gynnwys 110% o'r hylif yn y tanc. Ni ddylai'r bwnd gael unrhyw dyllau draenio a dylai gynnwys yr holl bibwaith.
- Defnyddiwch gludwr gwastraff cofrestredig i gasglu eich olew gwastraff. Dylech ofyn am gael gweld eu tystysgrif, neu ffonio Asiantaeth yr Amgylchedd ar 08708 506506 a gofyn am wiriad cludwr gwastraff.
- Mae olew gwastraff yn wastraff peryglus. Rhaid i gynhyrchwyr gwastraff peryglus gofrestru gyda ni. Mae'n bosibl y gall eich contractwr gwastraff wneud hyn ar eich rhan, neu gallwch gofrestru'n uniongyrchol gyda ni drwy ddefnyddio'r manylion cyswllt o dan [Mwy o wybodaeth](#).

- Mae gofynion llym ar gyfer gwaredu gwastraff peryglus. Pan fo olew gwastraff yn gadael eich safle bydd yn rhaid iddo gael ei ddisgrifio fel llwyth, gan ddefnyddio nodyn llwyth gwastraff peryglus.

## Dosbarthu olew gwastraff fel gwastraff peryglus

Mae pob olew mwynol gwastraff yn cael ei ddsbarthu fel olew peryglus a'i restru mewn dogfen dechnegol a elwir yn Gatalog Gwastraff Ewropeaidd (EWC), sy'n rhoi cod rhif i bob math o wastraff. Bydd angen i chi gategoreiddio eich olew gwastraff drwy ddefnyddio'r cyfeirnodau isod.

Bydd eich contractwr gwastraff yn gallu eich cynorthwyo â hyn - mae angen iddynt wybod y cod fel y gallant waredu'r gwastraff yn gywir. Am godau eraill, ac i gael gwybod mwy ffoniwch ni ar 08708 506506 neu ewch i

[www.environment-agency.gov.uk/newrulesonwaste](http://www.environment-agency.gov.uk/newrulesonwaste)

<b>12 01</b>	<b>gwastraffau o siapio a thriniaeth arwynebol ffisegol a mecanyddol o fetelau a phlastigion</b>	<b>13 02 08*</b>	olewau peiriannau, gerau ac iro eraill
<b>12 01 06*</b>	olewau peiriannau yn seiliedig ar fwynau yn cynnwys halogenau (heblaw am emylsiynau a thoddiannau)	<b>13 03</b>	<b>olewau ynysu a thrawsyrru gwres gwastraff</b>
<b>12 01 07*</b>	olewau peiriannau yn seiliedig ar fwynau yn rhydd o halogenau (heblaw am emylsiynau a thoddiannau)	<b>13 03 01*</b>	olewau ynysu a thrawsyrru gwres yn cynnwys PCBs <sup>1</sup>
<b>12 01 10*</b>	olewau peiriannau synthetig	<b>13 03 06*</b>	olewau ynysu a thrawsyrru gwres yn seiliedig ar fwynau wedi'u clorineiddio ar wahân i'r rhai a nodwyd yn 13 03 01
<b>13 01</b>	<b>olewau hydrologig gwastraff</b>	<b>13 03 07*</b>	olewau ynysu a thrawsyrru gwres yn seiliedig ar fwynau heb eu clorineiddio
<b>13 01 01*</b>	olewau hydrologig, yn cynnwys PCBs <sup>1</sup>	<b>13 03 08*</b>	olewau ynysu a thrawsyrru gwres synthetig
<b>13 01 04*</b>	emylsiynau wedi'u clorineiddio	<b>13 03 09*</b>	olewau ynysu a thrawsyrru gwres bioddiraddadwy hawdd
<b>13 01 05*</b>	emylsiynau heb eu clorineiddio	<b>13 03 10*</b>	olewau ynysu a thrawsyrru gwres eraill
<b>13 01 09*</b>	olewau hydrologig yn seiliedig ar fwynau wedi'u clorineiddio	<b>13 07</b>	<b>gwastraffau o danwyddau hylifol</b>
<b>13 01 10*</b>	olewau hydrologig yn seiliedig ar fwynau heb eu clorineiddio	<b>13 07 01*</b>	olew tanwydd a diesel
<b>13 01 11*</b>	olewau hydrologig synthetig	<b>13 07 02*</b>	petrol
<b>13 01 12*</b>	olewau hydrologig bioddiraddadwy hawdd	<b>13 07 03*</b>	tanwyddau eraill (yn cynnwys cymysgeddau)
<b>13 01 13*</b>	olewau hydrologig eraill	<b>13 08</b>	<b>gwastraffau olew nas nodir fel arall</b>
<b>13 02</b>	<b>olewau peiriannau, gerau ac iro gwastraff</b>	<b>13 08 01*</b>	slwtsh neu emylsiynau dihalltwr
<b>13 02 04*</b>	olewau peiriannau, gerau ac iro yn seiliedig ar fwynau wedi'u clorineiddio	<b>13 08 02*</b>	emylsiynau eraill
<b>13 02 05*</b>	olewau peiriannau, gerau ac iro yn seiliedig ar fwynau heb eu clorineiddio	<b>13 08 99*</b>	gwastraffau nas nodir fel arall
<b>13 02 06*</b>	olewau peiriannau, gerau ac iro synthetig		
<b>13 02 07*</b>	olewau peiriannau, gerau ac iro bioddiraddadwy hawdd		

<sup>1</sup> At ddibenion y rhestr hon o wastraffau, diffinnir PCB fel yng Nghyfarwydddeb 96/59/EC.

## Mwy o wybodaeth

- Mae gan ein hymgyrch Gofal gydag Olew fwy o gyngor ar sut i storio a gwaredu olew yn ddiogel. Ewch i [www.environment-agency.gov.uk/oilcare](http://www.environment-agency.gov.uk/oilcare)
- I gael gwybod mwy am y rheolau newydd ar wastraff peryglus ac i gofrestru ar-lein ewch i [www.environment-agency.gov.uk/newrulesonwaste](http://www.environment-agency.gov.uk/newrulesonwaste) neu ffoniwch ni ar **08708 506506**.
- Mae Envirowise yn cynnig archwiliad lleihau gwastraff 'Llwybr Cyflym' cyfrinachol ac am ddim i fusnesau bach. Mae ei Llinell gymorth yr Amgylchedd ac Ynni am ddim ar **0800 585794** neu ewch i [www.envirowise.gov.uk](http://www.envirowise.gov.uk)
- Tanysgrifiwch i'n cylchlythyr busnes e-bost misol am ddim. Anfonwch e-bost i [benews@environment-agency.gov.uk](mailto:benews@environment-agency.gov.uk) i danysgrifio.



# waste – can you handle it?

## New rules on waste oils

**This guide is for businesses producing waste oils. It explains how rules on waste oils will change, what they mean, and what you need to do with your waste oil in the future. The new rules give greater protection to the environment and health.**

### What this means for your business

Environmental standards for using waste as a fuel are being tightened to reduce emissions when it is burnt. This has caused the market in waste oils to change. This could result in producers of waste oil needing to pay more to get rid of it.

There is a legal Duty of Care placed on every business to make sure that the waste it produces is properly stored, described so it can be handled safely, and disposed of or re-used in an appropriate way.

Tipping oil down the drain is an offence – most drains connect to rivers and streams and oil is highly polluting and expensive to clear up. Even small quantities can have a serious impact on plants and wildlife. Uncontrolled burning of waste oil can put serious pollutants into the air. Penalties for these sorts of offences can be £20,000, or more in a crown court.

### What you need to do

There will be little change for businesses that are already meeting their Duty of Care – apart from a potential increase in the disposal fee. To be sure you stay within the law you should follow these guidelines:

- Store oil securely in a container. We recommend a container with a bund that could contain 110% of the liquid in the tank. The bund should not have any drainage holes and should contain all pipework.
- Use a registered waste carrier to collect your waste oil. You should ask to see their certificate, or call the Environment Agency on 08708 506506 and ask for a waste carrier check.
- Waste oil is a hazardous waste. Producers of hazardous waste must register with us. Your waste contractor may be able to do this for you, or you can register with us directly using the contact details under [More information](#).

- There are strict requirements for disposing of hazardous waste. When waste oil leaves your premises it will have to be described for consignment, using a hazardous waste consignment note.

## Classifying waste oil as a hazardous waste

All waste mineral oils are classed as hazardous and listed in a technical document called the European Waste Catalogue (EWC), which gives a code number to each type of waste. You will need to categorise your waste oil using one of the reference numbers below.

Your waste contractor will be able to assist you in this – they need to know the code so they can dispose of the waste correctly. For other codes, and to find out more call us on 08708 506506 or visit [www.environment-agency.gov.uk/newrulesonwaste](http://www.environment-agency.gov.uk/newrulesonwaste)

<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>	<b>13 02 08*</b>	other engine, gear and lubricating oils
<b>12 01 06*</b>	mineral-based machining oils containing halogens (except emulsions and solutions)	<b>13 03</b>	<b>waste insulating and heat transmission oils</b>
<b>12 01 07*</b>	mineral-based machining oils free of halogens (except emulsions and solutions)	<b>13 03 01*</b>	insulating or heat transmission oils containing PCBs <sup>1</sup>
<b>12 01 10*</b>	synthetic machining oils	<b>13 03 06*</b>	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
<b>13 01</b>	<b>waste hydraulic oils</b>	<b>13 03 07*</b>	mineral-based non-chlorinated insulating and heat transmission oils
<b>13 01 01*</b>	hydraulic oils, containing PCBs <sup>1</sup>	<b>13 03 08*</b>	synthetic insulating and heat transmission oils
<b>13 01 04*</b>	chlorinated emulsions	<b>13 03 09*</b>	readily biodegradable insulating and heat transmission oils
<b>13 01 05*</b>	non-chlorinated emulsions	<b>13 03 10*</b>	other insulating and heat transmission oils
<b>13 01 09*</b>	mineral-based chlorinated hydraulic oils	<b>13 07</b>	<b>wastes of liquid fuels</b>
<b>13 01 10*</b>	mineral-based non-chlorinated hydraulic oils	<b>13 07 01*</b>	fuel oil and diesel
<b>13 01 11*</b>	synthetic hydraulic oils	<b>13 07 02*</b>	petrol
<b>13 01 12*</b>	readily biodegradable hydraulic oils	<b>13 07 03*</b>	other fuels (including mixtures)
<b>13 01 13*</b>	other hydraulic oils	<b>13 08</b>	<b>oil wastes not otherwise specified</b>
<b>13 02</b>	<b>waste engine, gear and lubricating oils</b>	<b>13 08 01*</b>	desalter sludges or emulsions
<b>13 02 04*</b>	mineral-based chlorinated engine, gear and lubricating oils	<b>13 08 02*</b>	other emulsions
<b>13 02 05*</b>	mineral-based non-chlorinated engine, gear and lubricating oils	<b>13 08 99*</b>	wastes not otherwise specified
<b>13 02 06*</b>	synthetic engine, gear and lubricating oils		
<b>13 02 07*</b>	readily biodegradable engine, gear and lubricating oils		

<sup>1</sup> For the purpose of this list of wastes, PCBs will be defined as in Directive 96/59/EC.

## More information

- Our Oil Care campaign has more advice on how to store and dispose of oil safely. Visit [www.environment-agency.gov.uk/oilcare](http://www.environment-agency.gov.uk/oilcare)
- To find out more about the new rules on hazardous waste and to register online visit [www.environment-agency.gov.uk/newrulesonwaste](http://www.environment-agency.gov.uk/newrulesonwaste) or call us on 08708 506506.
- Envirowise offers small businesses a free and confidential ‘FastTrack’ waste minimisation audit. Its Environment and Energy helpline is free on 0800 585794 or visit [www.envirowise.gov.uk](http://www.envirowise.gov.uk)
- Subscribe to our free monthly e-mail business newsletter. Email [benews@environment-agency.gov.uk](mailto:benews@environment-agency.gov.uk) to sign-up.